

# CHAIN DRIVE AUGERS



### **EDGE® CHAIN DRIVE AUGERS**

Choosing the right auger attachment requires experience, the EDGE attachments team can help you determine the correct auger drive for your machine and application. Factors to consider are: soil condition, hole width and depth and hydraulic power of your machine. EDGE experts will provide you with the correct mounting plate, hydraulic powered auger drive unit, auger drilling bit and specialized wear parts for your job.

#### **OPERATIONAL BASICS**

The EDGE chain reduction drive units are designed for medium to heavy-duty applications and are a popular alternative to the planetary drive augers. Chain drive augers feature pre-stressed, fully adjustable reduction drives and the strongest connecting links available. Choose auger drive units and bits in 2-9/16" Round or 2" Hex output shafts. Complete units include the universal skid steer mount, top link, hoses, and flat-faced couplers. All auger bits are sold separately.

## **SPECIFICATIONS**

Model	Weight (lbs/ kg)	Hyd. Req. (gpm/lpm)	Max. Auger Dia. (in/mm)	Speed (rpm)	Theo. Torque (lbs. ft/Nm)			
500CL	160/73	6-14/23-53	18/457	132 @ 14 gpm	980/882 @ 3000 psi			
750CL	190/86	8-20/30-76	24-610	161 @ 20 gpm	1118/1003 @ 3000 psi			
1200CL	360/163	10-20/38-76	30/762	106 @ 20 gpm	1724/1547 @ 3000 psi			
1650CL	375/170	14-24/53-91	36/914	88 @ 24 gpm	2478/2213 @ 3000 psi			
2175CL	430/195	18-24/68-91	48/1219	73 @ 24 gpm	2989/2703 @ 3000 psi			

#### **FEATURES**

- Capable of digging holes up to 48" in diameter
- High torque chain-reduction drive
- Mounting ensures perfect balance of augers



Chain Drive Auger Unit

	Radial Skid Loaders						Vertica	al Skid L	oaders	Track Loaders			Articulated Loaders				
Machine Compatibility Gehl / Mustang	3640E/ 2026						R260/ 2600R	V270/ 2700V	V330 3300V		RT175/ 1750RT			-2411	540	650/ 608	
*Chain Drive Auger	•	+	+	+	+	+	+	•	<b>*</b>	*	•	+	+	<b>*</b>	<b>*</b>	•	•

\*Note: Machine compatibility is based on operating capacity of the machine and the weight of the attachment

